



# 150mW Dual Junction VCSEL Diode VD-0940V-150M-XX-2B0

## **FEATURES**

- 940nm single wavelength
- Low wavelength drift
- **Dual Junction VCSEL**
- Low threshold current
- Small emission area
- Easy to collimate


# **APPLICATIONS**

- **Proximity Sensor**
- Active optical cables
- Medical applications
- Range finder sensors

Part Number	Description	
VD-0940V-150M-XX-2B0	150mW Dual Junction VCSEL Diode	

# PRODUCT IDENTIFY

#### **Code Rules**



## Absolute maximum ratings

Parameter	Symbol	Rating	Unit
Case Operating Temperature	Тор	-40 to +85	°C
Storage Temperature	T <sub>sto</sub>	-40 to +105	°C
Reflow Soldering Temperature	T <sub>sdr</sub>	260°C (10s)	١
Reverse Voltage	Vr	5	V
Maximum Continuous Current	I <sub>max</sub>	200	mA
ESD exposure (Human body) model	ESD	2K	V

Note:

10/21 / V2 / MH·IF / brightlaser/vd-0940v-150m-xx-2b0

www.lasercomponents.com

www.lasercomponents.fr

www.lasercomponents.co.uk




- Stresses greater than those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating
  only and functional operation of the device at these or other conditions above those indicated in the operations section for extended periods
  of time may affect reliability.
- 2. In its maximum rating diode laser operation could damage its performance or cause potential safety hazard such as equipment failure.
- Electrostatic discharge is the main reason for the laser fault of the diode. Take effective precautions against ESD. When dealing with laser diodes, use the wrist strap, grounding work surface and strict antistatic technology.

# II. Optical-electrical characteristics @25°C, CW mode

Parameters	Symbol	Condition	Min.	Тур.	Max.	Unit
Threshold Current	I <sub>th</sub>		-	12	-	mA
Forward Current	l <sub>F</sub>		-	100	-	mA
Optical Power	Po	I <sub>F</sub> =100mA	-	150	-	mW
Laser Forward Voltage	Vf	I <sub>F</sub> =100mA	-	3.9	-	V
Power conversion efficiency	η	I <sub>F</sub> =100mA	-	40	-	%
Slope efficiency	SE	P <sub>o</sub> =150mW	-	1.1	-	W/A
Series Resistance	R	I <sub>F</sub> =100mA	-	6	-	Ω
Peak Wavelength	-	I <sub>F</sub> =100mA	930	940	950	nm
Wavelength-Temp. Drift	Δλ/ΔΤ	I=100mA	-	-	0.07	nm/°C
Beam divergence	FWHM <sub>B</sub>	I <sub>F</sub> =100mA	-	21	-	dog
	(1/e^2)	I <sub>F</sub> =100mA	-	25	-	deg
No. of Emission Aperture			-	10	-	

**Note:** Electro-Optical Characteristic with a package or diffuser would require further evaluation. Values are based on limited sample size and estimated values.

# III. Typical Performance LIV curve and Wavelength




www.lasercomponents.com

3




# IV. Mechanical Schematics

VD-0940V-150M-1A-2B0 with Substrate 1=AIN and Package A=2016 (unit: mm)



VD-0940V-150M-5H-2B0 with Substrate 5=NiFe and Package H=TO56 (unit: mm)



**Note:** There may be some changes between sample and drawing · thus · the actual spec please refer to the sample that you received. And if any inquires please contact us.

Germany and Other Countries

Laser Components Germany GmbH
Tel: +49 8142 2864-0
Fax: +49 8142 2864-11
info@lasercomponents.com
www.lasercomponents.com

Laser Components S.A.S.
Tel: +33 1 39 59 52 25
Fax: +33 1 39 59 53 50
info@lasercomponents.fr
www.lasercomponents.fr

# United Kingdom

Laser Components (UK) Ltd. Tel: +44 1245 491 499 Fax: +44 1245 491 801 info@lasercomponents.co.uk www.lasercomponents.co.uk

# Nordic Countries

Laser Components Nordic AB Tel: +46 31 703 71 73 Fax: +46 31 703 71 01 info@lasercomponents.se www.lasercomponents.se


#### USA

laser Components USA, Inc. Tel: +1 603 821-7040 Fax: +1 603 821-7041 info@laser-components.com www.laser-components.com





# **SMT Reflow Soldering Curve**



Note: Reflow soldering can be operated only one time. During the temperature ramp-up, no forces may be exerted on the diode which could deform or damage them. After soldering completed, please also do not process until the product temperature ramp down to room temperature.

# Treatment and protection measures

#### Soldering precautions

The temperature of soldering iron must be controlled under 300°C during manual soldering. Also, VCSEL can be only soldered one time with the soldering time less than 3s. but, it is very hard to control the soldering temperature and homogenize solder paste because of the smaller size of VCSEL. In addition, it is easy to damage VCSEL structure even causes VCSEL losing efficacy. So, we advise you to use re-flow soldering machine for operation.

# Storage precautions

Our products were sealed by aluminum foil bag attaching packed desiccant, they are moisture proof and anti-static. Please handle these gently to avoid damage. At the same time, please be ready for storage and take some moisture-proof measures to keep the diode away from dampness that may causes reliability failure.

Before opening, the diode must be saved for at least 90 days below 30 °C with 60% RH. After opening, the diode must be kept in an environment that temperature lower than 30 °C and humidity lower than 60% RH and used up within 24 hours. When the storage humidity reaches and exceeds 60%, the products must be dehumidified at 60 °C for more than 24 hours before use.

#### **Others**

- 1. Please use solder paste to cure the laser diode.
- 2. Please make sure that the heat of the diode has been completely conducted to metal shell, to avoid affecting the optical power output.
- 3. This diode can be only used in constant voltage and current.
- 4. Operating voltage and current, refer to the table in paragraph II.
- 5. Please do not aim the laser to people or animal.
- 6. You can observe the laser spot through an image monitoring equipment.

www.lasercomponents.com

Laser Components Nordic AB Tel: +46 31 703 71 73 Fax: +46 31 703 71 01 info@lasercomponents.co.uk info@lasercomponents.se www.lasercomponents.co.uk www.lasercomponents.se

Nordic Countries

- 7. Please do not touch the diode surface by naked hands or squeeze the sealant on the diode surface, or it may cause wrong optical angle and distorted laser spot, even damage the diode.
- 8. Please use ceramic suction nozzle to absorb the diode, to avoid the diode sticking to the nozzle.
- 9. Please add a 0.02 s blowing action after locating the laser diode to aluminum substrate.

#### VII. **Revision History**

Revision	Date	Description
V.01	2021/01/12	The first official edition [PO01028120-940-
		VC08.12-20201119-C7 <sub>P1A</sub> ]
V.02	2021/09/29	Update TO56 drawing

Note: Brightlaser reserves the right to make modification at any time due to improved design from time to time, the merit behind is to supply the best product possible.

www.lasercomponents.co.uk