

808nm 7W VCSEL diode VD-0808I-007W-XX-2A0

FEATURES

- 808nm single longitudinal mode
- Low wavelength drift
- Oxide isolation technology
- Low threshold current
- Small emission area
- Easy to collimate


APPLICATIONS

- 3D sensors
- Lidars
- IR illuminations
- Medical application
- Range Finder Sensor
- Solid state pump source

Part Number	Description		
VD-0808I-007W-XX-2A0	808nm 7W VCSEL diode		

PRODUCT IDENTIFY

Code Rules



Absolute maximum ratings

Parameter	Symbol	Rating	Unit
Case Operating Temperature	Top	-40 to +85	°C
Storage Temperature	T _{sto}	-40 to +105	°C
Reflow Soldering Temperature	T _{sdr}	260°C (10s)	١
Reverse Voltage	Vr	5	V
Maximum Continuous Current	I _{max}	10	Α
ESD exposure (Human body) model	ESD	2k-4k (Class 2)	V
ESD exposure (Machine) Model	ESD	200-400 (Class B)	V

Note:

1. Stresses greater than those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating

12/21 / V3 / MH·IF / brightlaser/vd-0808i-007w-xx-2a0

Laser Components S.A.S. Tel: +33 1 39 59 52 25 Fax: +33 1 39 59 53 50 info@lasercomponents.fr www.lasercomponents.fr

United Kingdom

Laser Components (UK) Ltd. Tel: +44 1245 491 499 Fax: +44 1245 491 801 info@lasercomponents.co.uk www.lasercomponents.co.uk Nordic Countries Laser Components Nordic AB Tel: +46 31 703 71 73

Fax: +46 31 703 71 01 info@lasercomponents.se www.lasercomponents.se

Laser Components USA, Inc. Tel: +1 603 821-7040 Fax: +1 603 821-7041 info@laser-components.com www.laser-components.com

only and functional operation of the device at these or other conditions above those indicated in the operations section for extended periods of time may affect reliability.


- 2. In its maximum rating diode laser operation could damage its performance or cause potential safety hazard such as equipment failure.
- 3. Electrostatic discharge is the main reason for the laser fault of the diode. Take effective precautions against ESD. When dealing with laser diodes, use the wrist strap, grounding work surface and strict antistatic technology.

II. Optical-electrical characteristics @25°C, CW mode

Paramet	ers	Symbol	Conditions	Min.	Тур.	Max.	Unit
Optical Power Output		Po	I _F =9A	-	6.8	-	W
Threshold Current		lth	-	-	1.9	-	Α
Forward Current		-	-	-	9	-	Α
Slope Efficiency		-	-	-	0.96	1.06	W/A
Power Convers Efficiency	sion	η	-	-	30	-	%
Peak Wavelength		λ_{P}	P _o =6.8W	800	808	816	nm
Laser Forward Voltage		V _F	I _F =9A	-	2.51	2.45	V
Series Resistance		Rs	I _F =9A	-	0.10	-	Ω
Emission area		-	-	-	1179x1147	-	µm²
Doom Anglo	(1/e^2)	θ	I _F =9A	-	25	-	degrees
Beam Angle	FWHM	θ	I _F =9A	-	20	-	degrees
Wavelength Temp. Drift		∂λΡ/∂Τ	I _F =9A	-	0.07	-	nm/°C
Soldering Temperature		-	AIN	-	-	260(10s)	°C
			Cu			180(10s)	°C
Substrate			AIN, Cu				

Note: Electro-Optical Characteristic with a package or diffuser would require further evaluation. Values are based on limited sample size and estimated values.

III. Typical Performance LIV curve and Wavelength



2

Germany and Other Countries
Laser Components Germany GmbH
Tel: +49 8142 2864-0
Fax: +49 8142 2864-11
info@lasercomponents.com

www.lasercomponents.com

Laser Components S.A.S.
Tel: +33 1 39 59 52 25
Fax: +33 1 39 59 53 50
info@lasercomponents.fr
www.lasercomponents.fr

United Kingdom

Laser Components (UK) Ltd.
Tel: +44 1245 491 499
Fax: +44 1245 491 801
info@lasercomponents.co.uk
www.lasercomponents.co.uk

Nordic Countries

Laser Components Nordic AB
Tel: +46 31 703 71 73
Fax: +46 31 703 71 01
info@lasercomponents.se
www.lasercomponents.se

USA

Laser Components USA, Inc. Tel: +1 603 821-7040 Fax: +1 603 821-7041 info@laser-components.com www.laser-components.com






Note:


- 1. LIV graph was measured at 25 °C (left); power output, voltage and power conversion efficiency
- 2. variation trend with changed operating temperature (right, normalized).
- 3. Forward Voltage (VF) measurement allowance is ± 0.1 V.
- Peak Wavelength (λP) measurement allowance is ± 1.5 nm.
- Others measurement allowance is $\pm 10\%$.

IV. **Mechanical Schematics**

VD-0808I-007W-1F-2A0 with Substrate 1=AIN and Package F=6868 (unit: mm)




VD-0808I-007W-6K-2A0 with Substrate 6=Cu and Package K=T-mount (unit: mm)



Note: There may be some changes between sample and drawing · thus · the actual spec please refer to the sample that you received. And if any inquires please contact us.

SMT Reflow Soldering Curve



3

Germany and Other Countries Laser Components Germany GmbH Tel: +49 8142 2864-0

Fax: +49 8142 2864-11 info@lasercomponents.com www.lasercomponents.com

Laser Components S.A.S. Tel: +33 1 39 59 52 25 Fax: +33 1 39 59 53 50 info@lasercomponents.fr www.lasercomponents.fr

United Kingdom

Laser Components (UK) Ltd. Tel: +44 1245 491 499 Fax: +44 1245 491 801 info@lasercomponents.co.uk www.lasercomponents.co.uk

Nordic Countries

Laser Components Nordic AB Tel: +46 31 703 71 73 Fax: +46 31 703 71 01 info@lasercomponents.se www.lasercomponents.se

Laser Components USA, Inc. Tel: +1 603 821-7040 Fax: +1 603 821-7041 info@laser-components.com www.laser-components.com



Note: Reflow soldering can be operated only one time. During the temperature ramp-up, no forces may be exerted on the diode which could deform or damage them. After soldering completed, please also do not process until the product temperature ramp down to room temperature.

VI. Treatment and protection measures

Soldering precautions

The temperature of soldering iron must be controlled under 300°C during manual soldering. Also, VCSEL can be only soldered one time with the soldering time less than 3s. but, it is very hard to control the soldering temperature and homogenize solder paste because of the smaller size of VCSEL. In addition, it is easy to damage VCSEL structure even causes VCSEL losing efficacy. So, we advise you to use re-flow soldering machine for operation.

Storage precautions

Our products were sealed by aluminum foil bag attaching packed desiccant, they are moisture proof and anti-static. Please handle these gently to avoid damage. At the same time, please be ready for storage and take some moisture-proof measures to keep the diode away from dampness that may causes reliability failure.

Before opening, the diode must be saved for at least 90 days below 30 $^{\circ}$ C with 60% RH. After opening, the diode must be kept in an environment that temperature lower than 30 $^{\circ}$ C and humidity lower than 60% RH and used up within 24 hours. When the storage humidity reaches and exceeds 60%, the products must be dehumidified at 60 $^{\circ}$ C for more than 24 hours before use.

Others

- 1. Please use solder paste to cure the laser diode.
- 2. Please make sure that the heat of the diode has been completely conducted to metal shell, to avoid affecting the optical power output.
- 3. This diode can be only used in stable voltage and current.
- 4. Operating voltage and current, refer to the table in paragraph II.
- 5. Please do not aim the laser to people or animal.
- 6. You can observe the laser spot through an image monitoring equipment.
- Please do not touch the diode surface by naked hands or squeeze the sealant on the diode surface, or it may cause wrong optical angle and distorted laser spot, even damage the diode.
- 8. Please use ceramic suction nozzle to absorb the diode, to avoid the diode sticking to the nozzle.
- 9. Please add a 0.02 s blowing action after locating the laser diode to aluminum substrate.

VII. Revision History

Revision	Date	Description
V.01	2021/05/20	The first official edition [VC5.0-1184-0019C4/0019C8]
V.02	2021/09/23	Change Package (7471/AIN deleted, T-mount changed)
V.03	2021/10/15	Update LIV
V.04	2021/11/10	Update package 6868 and LIV data

Note: Brightlaser reserves the right to make modification at any time due to improved design from time to time, the merit behind is to supply the best product possible.

4

www.lasercomponents.co.uk

www.laser-components.com