

# SD112-42-11-221

5.5mm² active area, 100Kohm Detector Amplifier Hybrid - Closed Loop

The SD112-42-11-221 is a detector/amplifier hybrid that combines a silicon photodiode with a low noise op-amp with a feedback resistor and capacitor providing a  $100 \mathrm{K}\Omega$  gain and bandwidth of  $750 \mathrm{kHz}$ . The closed loop hybrid is available in a hermetic TO-5 metal can package.

# **Applications**

Instrumentation

Industrial

Medical

# **Features**

Low Noise


100KΩ Gain

750KHz Bandwidth
Feedback Circuit

PASSION FOR PHOTONICS

DS SD112-42-11-221 Rev. A








# Absolute Maximum Ratings at T<sub>A</sub>=23 °C

Parameter	Symbol	Min	Тур	Max	Unit
Voltage Supplies	V <sub>R</sub>	±5	-	±15	V
Power Dissipation	-	-	360	-	mW
Operating Temperature	T <sub>OP</sub>	-25	-	+100	°C
Storage Temperature	T <sub>sts</sub>	-55	-	+125	°C


# Typical Electro-Optical Specifications at T<sub>A</sub>=23 °C

Parameter	Test Conditions	Symbol	Min	Тур	Max	Unit
Cutoff Frequency	-	F <sub>co</sub>	500	750	-	KH <sub>z</sub>
Transimpedance Gain	-	G	-	0.1	-	ΜΩ
Sensitivity	λ=940nm	S	-	6.3x10 <sup>4</sup>	-	V/W
Output Offset Voltage	-	V <sub>OFF</sub>	-	-	±1	mV
Power Supply Current	-	I <sub>PS</sub>	-	6.2	7	mA
Broadband Noise	f-10Hz to cutoff	Noise	-	-	60	$uV_{ms}$

# **Typical Spectral Response**



# **Mechanical Specifications**



DS SD112-42-11-221 Rev. A

/ Germany and Other Countries LASER COMPONENTS Germany GmbH Tel +49 8142 2864 - 0 info@lasercomponents.com www.lasercomponents.com / France LASER COMPONENTS S.A.S. Tel +33 1 39 59 52 25 info@lasercomponents.fr www.lasercomponents.fr / United Kingdom LASER COMPONENTS (UK) Ltd. Tel +44 1245 491 499 info@lasercomponents.co.uk www.lasercomponents.co.uk







# **General Care and Handling Instructions**

#### Photodiodes:

## Handling and Storage

- Handle Photodiodes gently to prevent damage.
- Avoid exposing Photodiodes to temperatures exceeding the storage temperature rating of the device.
- Maintain a non-condensing environment for optimum performance and lifetime.

## Cleaning

Gently clean the glass (borosilicate or quartz window) using a 50/50 mixture of Methanol and isopropyl alcohol and a soft, optical-grade pad.

### Special Considerations for Plastic or Epoxy Encapsulated Photodiodes

- Protect from intense light sources such as direct sunlight. Avoid exposure to harsh chemicals like THINNERS, ACETONE,
- and TRICHLOROETHYLENE.
- Cleaning with a 50/50 mixture of Methanol and isopropyl alcohol (IPA) is recommended. Cleaning in an ultrasonic bath is generally not recommended.

#### CdS Photocells:

#### Handling and Storage

- Handle CdS Photocells gently to prevent damage.
- Avoid exposing CdS Photocells to temperatures exceeding the storage temperature rating of the device.
- Maintain a non-condensing environment for optimum performance and lifetime.

### Cleaning

- Gently clean the glass or plastic covering using a 50/50
- mixture of Methanol and isopropyl alcohol and a soft, optical-

# Special Considerations

DO NOT use Vapor Phase Soldering or Reflow Soldering for CdS components.

# Optocouplers and LEDs:

- Handling and Storage

  Handle Optocouplers and LEDs gently to prevent damage.
- Avoid exposing the devices to temperatures exceeding the storage temperature rating of the device.
- Maintain a non-condensing environment for optimum performance and lifetime.

# Cleaning

For plastic molded devices, cleaning with a 50/50 mixture of Methanol and isopropyl alcohol is recommended. Cleaning in an ultrasonic bath is generally not recommended.

## Special Considerations

Avoid exposing plastic molded devices or epoxy glob top devices to harsh chemicals like THINNERS, ACETONE, and TRICHLOROETHYLENE.

# **Legal Disclaimer**

Information in this data sheet is believed to be correct and reliable. However, no responsibility is assumed for possible inaccuracies or omission. Specifications are subject to change without notice.



Most of our standard catalog products are RoHS Compliant. Please contact us for details.

#### Electrostatic Discharge (ESD) Sensitivity:

All devices are considered ESD-sensitive. They are shipped in ESD protective packaging. When unpacking and using these products, anti-ESD precautions should be observed.

Standard lead trimming after soldering is an acceptable practice; however, do not attempt to bend or modify the leads incorrectly, as it can damage the glass feed-through or the

#### ering Instructions:

- Use a soldering iron with a tip temperature of 300°C max.
- Consult with your preferred solder manufacturer to determine a solder alloy and flux combination, as well as the reflow profile appropriate for your application.

#### **General Precautions for all Devices**

## 1. Moisture Prevention:

Ensure devices are stored in a dry environment to prevent moisture ingress, which can cause damage during soldering. Refer to J-STD-20 for guidance on proper baking procedures to prevent moisture related damage

## 2. Lead Splaying:

If required, carefully splay the leads of the devices according to the specific application needs. Be cautious when splaying leads, as improper techniques may damage the device. Consult technical support or device datasheets for guidance on lead

## 3. Mechanical Stress:

Handle devices with care throughout the installation process to prevent damage.

## 4. Circuit Protection and Lavout:

Optimize the circuit design and layout to ensure proper functioning and prevent damage to the devices. Include appropriate protection measures like ESD protection diodes, current-limiting resistors, and voltage regulation.

# 5. After-Sale Support:

For troubleshooting and device-specific inquiries, please consult with our technical support team. They can offer valuable guidance and suggestions on handling, operation, and application-related questions. To reach them, please contact the Advanced Photonix Applications group at Techsupport@advancedphotonix.com.



**PASSION FOR PHOTONICS** DS SD112-42-11-221 Rev. A

/ Germany and Other Countries LASER COMPONENTS Germany GmbH Tel +49 8142 2864-0 info@lasercomponents.com www.lasercomponents.com  $\textit{/ France} \quad \text{LASER COMPONENTS S.A.S.} \quad \text{Tel } + 33\,1\,39\,59\,52\,25 \quad \text{info@laser components.fr} \quad \text{www.laser components.fr}$ / United Kingdom LASER COMPONENTS (UK) Ltd. Tel +44 1245 491 499 info@lasercomponents.co.uk www.lasercomponents.co.uk