

Plastic Collimator Lens CAY046-55-2

These data concern a full plastic bi-aspherical lens. It is specified for use as a collimator in combination with a diode laser. It can be mounted by use of glue or spring-loaded. Mechanical lock-mounting is not advisable because of possible distortions.



Parameters	Wavelength		Unit
	670 nm	785 nm	
Design conditions			
N.A.	0.4		–
Clear apertures CA	3.5 / 4.2		mm
Designed with laser cover glass (BK7) on source side:			
Distance from source	0.55		mm
Glass thickness	0.25		mm

Optical parameters

Focal length	4.60	4.64	mm
Back focal length BFL (with BK7 coverglass)	3.18	3.20	mm
Free working distance FWD	3.08	3.10	mm
RMS mean	on axis	30	mλ
RMS max. ($\pm 3\sigma$)	on axis	40	mλ
Optical tolerance	0.1		mm
Field radius	0.1		mm

Parameters	Wavelength		Unit
	670 nm	785 nm	
Mechanical parameters			
Mounting hole diameter D_{mh}	Ø 5.50 (+0.03)		mm
Other parameters: see drawing			
Environmental stability			
Storage temperature	-25 to 70		°C
Operating temperature	5 to 65		°C
General Data			
Transmission [%]: > 90			
Lens material: Acrylic		PMMA [8N]	

Specifications subject to change without notice.
Zemax cataloguefile available.

All rights are reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.

Alle rechten voorbehouden. Verveelvoudiging, geheel of gedeeltelijk is niet toegestaan dan met schriftelijke toestemming van de auteursrechthebbende.

Germany and Other Countries

Laser Components Germany GmbH
Tel: +49 8142 2864-0
Fax: +49 8142 2864-11
info@lasercomponents.com
www.lasercomponents.com

France

Laser Components S.A.S.
Tel: +33 1 39 59 52 25
Fax: +33 1 39 59 53 50
info@lasercomponents.fr
www.lasercomponents.fr

United Kingdom


Laser Components (UK) Ltd.
Tel: +44 1245 491 499
Fax: +44 1245 491 801
info@lasercomponents.co.uk
www.lasercomponents.co.uk

Nordic Countries

Laser Components Nordic AB
Tel: +46 31 703 71 73
Fax: +46 31 703 71 01
info@lasercomponents.se
www.lasercomponents.se

USA

Laser Components USA, Inc.
Tel: +1 603 821-7040
Fax: +1 603 821-7041
info@laser-components.com
www.laser-components.com



06/24 / V2 / MaHF / diverseaccessories/collimators/cay046-55-2-plasticcollimatorlens