

## LCU80G052A

### LCU808 SERIES LASER DIODE



#### ■ Features

1. Low operation current
2. Low divergence angle
3. High reliability
4. Standard optical power output : 700mW (CW)
5. TO-56 (  $\phi$  5.6mm) package, cap window with flat Pb-free lens.
6. Built-in photodiode for monitoring laser power.

#### ■ Applications

1. Motion sensor
2. Phototherapy
3. Pumping source for solid state laser
4. Infrared illumination
5. Industrial application

#### ■ External dimensions(Unit : mm)



Ver.02

## LCU80G052A

### LCU808 SERIES LASER DIODE

#### Absolute Maximum Ratings

Parameter	Symbol	Rating	Unit
Optical Output (Tc=25°C)	Po	<b>750</b>	mW
LD Reverse Voltage (Tc=25°C)	Vr_LD	<b>2</b>	V
PD Reverse Voltage (Tc=25°C)	Vr_PD	<b>30</b>	V
Operating Temperature (Case)	Top	-10~+50	°C
Storage Temperature	Tstg	-40~+85	°C

#### Electrical and Optical Characteristics(Tc=25°C)

Parameter	Symbol	Condition	Min.	Typ.	Max.	Unit	
Threshold Current	Ith	-	-	<b>70</b>	<b>100</b>	mA	
Operating Current	Iop	Po=700mW	-	<b>700</b>	<b>750</b>	mA	
Operating Voltage	Vop	Po=700mW	-	<b>1.95</b>	<b>2.2</b>	V	
Slope Efficiency	$\eta$	Po=175-525mW	-	<b>1.12</b>	-	mW/mA	
Monitor Current	Im	Po=700mW, VRD=5V	-	<b>1.0</b>	-	mA	
Beam Divergence (FWHM)	Parallel	$\theta_{//}$	Po=700mW	-	<b>10</b>	-	deg.
	Perpendicular	$\theta_{\perp}$	Po=700mW	-	<b>28</b>	-	deg.
Lasing Wavelength	$\lambda$	Po=700mW	<b>803</b>	<b>808</b>	<b>813</b>	nm	

©  $\theta_{//}$  and  $\theta_{\perp}$  are defined as the angle within which the intensity is 50% of the peak value.

---


Ver.02

## LCU80G052A


LCU808 SERIES LASER DIODE

■ Typical characteristic curves


Optical Output Power v.s. Forward Current



Forward Voltage v.s. Forward Current



Peak Wavelength v.s. Case Temperature




Ver.02


## LCU80G052A

LCU808 SERIES LASER DIODE


### Far-Field Pattern



### Monitor Current v.s. Optical Output Power




### Slope Efficiency v.s. Case Temperature



Ver.02

## LCU80G052A

LCU808 SERIES LASER DIODE



**SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.**

Ver.02