


## Achromatic Waveplates

Retardation plates – also known as “waveplates” – are optical elements that are generally manufactured from birefringent materials and produce a phase shift in the transmitted light. Achromatic waveplates feature a constant phase shift across a very large wavelength range. This is achieved by combining different birefringent materials. Our design consists of very thin plates and materials with low dispersion. This results in a low group velocity dispersion which is crucial for applications with fs lasers. Moreover, the wide and flat curve of the phase shift is ideal for applications with broadband laser sources. We currently offer these waveplates for the three wavelength ranges from 450 – 650 nm, 550 – 750 nm, and 650 – 1100 nm. Customer-specific wavelength ranges are available upon request.



### Specifications

Substrate material	synthetic crystalline quartz/magnesium fluoride
Transmitted wavefront	$\lambda/4$ @ 632.8 nm across the free aperture
Surface quality	40 – 20 scratch-dig
Retardation tolerance	better than $\lambda/100$

All waveplates are supplied with an air gap and mounted on a standard basis


### Specifications

ACWP	450 – 650	06	2	AR/AR
Product code (achromatic waveplate)	Wavelength range in nm	Diameter code in inches x 10	Retardation 2: $\lambda/2$ 4: $\lambda/4$	AR coating (optional)


### Standard Sizes and Free Aperture

Diameter Code in inches x 10	Diameter in mm	Free Aperture in mm	Mount Diameter and Length in mm
06	15.0	12.7	25.4 x 6.35
10	25.4	21.6	30.0 x 6.35


## Typical Bandwidths of Achromatic $\lambda/2$ Waveplates



$\lambda/2$  waveplate for the range 450 – 650 nm: ACWP-450-650-xx-2



$\lambda/2$  waveplate for the range 550 – 750 nm: ACWP-550-750-xx-2



$\lambda/2$  waveplate for the range 650 – 1100 nm: ACWP-650-1100-xx-2

### Germany & Other Countries

Laser Components Germany GmbH  
 Tel: +49 8142 2864 - 0  
 Fax: +49 8142 2864 - 11  
 info@lasercomponents.com  
 www.lasercomponents.com

### France

Laser Components S.A.S.  
 Tel: +33 1 39 59 52 25  
 Fax: +33 1 39 59 53 50  
 info@lasercomponents.fr  
 www.lasercomponents.fr

### United Kingdom

Laser Components (UK) Ltd.  
 Tel: +44 1245 491 499  
 Fax: +44 1245 491 801  
 info@lasercomponents.co.uk  
 www.lasercomponents.co.uk


### Nordic Countries

Laser Components Nordic AB  
 Tel: +46 31 703 71 73  
 Fax: +46 31 703 71 01  
 info@lasercomponents.se  
 www.lasercomponents.se


### USA

Laser Components USA, Inc.  
 Tel: +1 603 821 - 7040  
 Fax: +1 603 821 - 7041  
 info@laser-components.com  
 www.laser-components.com


### Typical Bandwidths of Achromatic $\lambda/4$ Waveplates



$\lambda/4$  waveplate for the range 450 – 650 nm: ACWP-450-650-xx-4



$\lambda/4$  waveplate for the range 550 – 750 nm: ACWP-550-750-xx-4



$\lambda/4$  waveplate for the range 650 – 1100 nm: ACWP-650-1100-xx-4